



JENSEN
Capacitors
METALLIZED
PP-DIELECTRIC
0.68 μ F \pm 10%
150 WVAC 50Hz
MGA-3G2-8535R-684KA
LEAD FREE
DK 1055210-14 02

JENSEN
Capacitors
METALLIZED
PP-DIELECTRIC
0.68 μ F \pm 10%
150 WVAC 50Hz
MGA-3G2-8535R-684KA
LEAD FREE
DK 1055210-14 02

JENSEN
Capacitors
METALLIZED
PP-DIELECTRIC
0.68 μ F \pm 10%
150 WVAC 50Hz
MGA-3G2-8535R-684KA
LEAD FREE
DK 1055210-14 02

JENSEN
Capacitors
METALLIZED
PP-DIELECTRIC
0.68 μ F \pm 10%
150 WVAC 50Hz
MGA-3G2-8535R-684KA
LEAD FREE
DK 1055210-14 02

JENSEN
Capacitors
METALLIZED
PP-DIELECTRIC
0.68 μ F \pm 10%
150 WVAC 50Hz
MGA-3G2-8535R-684KA
LEAD FREE
DK 1055210-14 02

JENSEN
Capacitors
METALLIZED
PP-DIELECTRIC
0.68 μ F \pm 10%
150 WVAC 50Hz
MGA-3G2-8535R-684KA
LEAD FREE
DK 1055210-14 02



Model: 111
9798119 Area: 1
3 x 75A RIBSLR PROTECTION 40V
57073 3015091


ON 30 100A
RIBSLR 40V

Kolli: 1/

Antal: 1

9798119

3 X THYRISTOR PROTECTION 690V



5707313015091

JENSEN
Capacitors[®]

METALLIZED
PP-DIELECTRIC

0.68 μ F + - 10%

850 WVAC 50Hz

MQA-3G2-8535B684KA

LEAD FREE

DK / 055210-14.07

JENSEN
Capacitors[®]

METALLIZED
PP-DIELECTRIC

0.68 μ F : - 10%

850 WVAC 50Hz

MQA-3G2-8535B684K

LEAD FREE

DK / 055210-14.07